Jenna Leitso	
From: Sent: To: Subject:	cnsc.info.ccsn@cnsc-ccsn.gc.ca Friday, 12 May 2023 2:40 pm cnsc.info.ccsn@cnsc-ccsn.gc.ca CNSC removes first hold point for Bruce B Unit 6 refurbishment
Follow Up Flag: Flag Status:	Follow up Flagged
CAUTION: This email originated folions of the community o	rom outside your organization. Exercise caution when opening attachments or clicking enders.
has authorized the removal of the	mzi Jammal, CNSC Executive Vice-President and Chief Regulatory Operations Officer, e first regulatory hold point for Bruce Power's Bruce B Nuclear Generating Station, e refurbished reactor core of Unit 6 following the Major Component Replacement
•	kpoint that requires approval of the Commission or the designated authority before ar tional hold points must be removed before Unit 6 can be returned to service.
	ruce Power has met all licence conditions for the removal of the fuel load hold point, e health and safety of persons, on the environment, or on Canada's international
Once fuel has been loaded into U and the hold points lifted.	nit 6, Bruce Power will continue with work to have the remaining systems back online
Read the CNSC's letter to Bruce P nuclear-generating-station/letter	Power: https://nuclearsafety.gc.ca/eng/reactors/power-plants/nuclear-facilities/bruce 20230512.cfm
For all the latest CNSC news, visit	CNSC's homepage at https://www.nuclearsafety.gc.ca/eng/
Follow the CNSC on Twitter: http:	s://twitter.com/CNSC_CCSN
Subscribe to the CNSC's YouTube	channels: https://www.youtube.com/cnscccsn
Follow the CNSC on Facebook: ht	tps://www.facebook.com/CanadianNuclearSafetyCommission
Follow the CNSC on LinkedIn: htt	ps://www.linkedin.com/company/cnsc-ccsn/life

If you experience any difficulties in accessing the CNSC website, please send an email to cnsc.info.ccsn@cnsc-ccsn.gc.ca

To unsubscribe, send an email to cnsc.info.ccsn@cnsc-ccsn.gc.ca